



AvaDent® Digital Dental Solutions Implant Order Form Removable Overdenture + Others



Always attach the AvaDent Digital Dental Solutions Order Form.

REMOVABLE OVERDENTURES

- O-Ball (Please fill in the following specifications: 7, 11)
- Locator (Please fill in the following specifications: 7, 11)
- Hader Bar (Please fill in the following specifications: 1, 2, 3, 4, 8, 9, 10)
- U-Dolder Bar  (Please fill in the following specifications: 1, 2, 3, 4, 5, 6, 9, 10)
- Egg-Dolder Bar  (Please fill in the following specifications: 1, 2, 3, 4, 5, 6, 9, 10)
- Standard Conical Bar (Please fill in the following specifications: 1, 3, 7, 10, 11)
- Custom Conical Bar (Please fill in the following specifications: 1, 3, 7, 10, 11)
- Ackerman Bar (Please fill in the following specifications: 1, 3, 4, 9, 10)
- Snap-Pin Bar (Please fill in the following specifications: 1, 3, 10)
- Custom Non-Hybrid Bar (Please fill in the following specifications: 1)
- Acceleraset™ (Please fill in the following specifications: 7, 3, 10)

IMPLANTS

Amount:

Brand:

Type:

PLATFORM

Abutment-level

Implant-level

SPECIFICATIONS

- | | | | | | |
|--|------------------------------------|------------------------------------|--|-----------------------------|----------------|
| 1. Re-use Existing Bar | <input type="checkbox"/> Yes | <input type="checkbox"/> No | | | |
| 2. Clips | <input type="checkbox"/> Gold | <input type="checkbox"/> Palladium | <input type="checkbox"/> Titanium | <input type="checkbox"/> No | Fixate: yes/no |
| 3. Screws | <input type="checkbox"/> Authentic | <input type="checkbox"/> Replica | <input type="checkbox"/> No | | |
| 4. Sealing Caps | <input type="checkbox"/> Supra | <input type="checkbox"/> No | | | |
| 5. Spacer/Dolder | <input type="checkbox"/> Yes | <input type="checkbox"/> No | | | |
| 6. Dolder Size | <input type="checkbox"/> Micro | <input type="checkbox"/> Macro | 9. Effective Extension Length in mm: _____ | | |
| 7. Type of Locator/O-Ball Attachments: _____ | | | 10. Space Between Gingiva and Structure in mm: _____ | | |
| 8. Use Gingiva for Structure | <input type="checkbox"/> Yes | <input type="checkbox"/> No | 11. Amount of Locators/O-Ball Attachments: _____ | | |

SKETCH OF SITUATION + COMMENTS

AvaDent® Digital Dental Solutions Implant Order Form Fixed Hybrids

SUPRA
SOLUTIONS

AVADENT®
Digital Dental Solutions

Always attach the AvaDent Digital Dental Solutions Order Form.

DENTATE GUIDED WORKFLOW

<input type="checkbox"/> Immediate Denture <input type="checkbox"/> Scan Denture (optional) 01	<input type="checkbox"/> Bone Reduction Guide (optional) Order Implant Guide at Your Implant Company <input type="checkbox"/> Conversion Denture 02	<input type="checkbox"/> Implant Record Device + Jig 03	<input type="checkbox"/> HTI 04	<input type="checkbox"/> Wrap Around <input type="checkbox"/> Montreal 05
---	---	---	---	--

DENTATE FREEHAND WORKFLOW

<input type="checkbox"/> Immediate Denture 01	<input type="checkbox"/> Bone Reduction Guide (optional) <input type="checkbox"/> Conversion Denture 02	<input type="checkbox"/> Implant Record Device + Jig 03	<input type="checkbox"/> HTI 04	<input type="checkbox"/> Wrap Around <input type="checkbox"/> Montreal 05
---	--	---	---	--

EDENTULOUS GUIDED WORKFLOW

<input type="checkbox"/> Bone Reduction Guide (optional) Order Implant Guide at Your Implant Company <input type="checkbox"/> Conversion Denture 01	<input type="checkbox"/> Implant Record Device + Jig 02	<input type="checkbox"/> HTI 03	<input type="checkbox"/> Wrap Around <input type="checkbox"/> Montreal 04
---	---	---	--

EDENTULOUS FREEHAND WORKFLOW

<input type="checkbox"/> Bone Reduction Guide (optional) <input type="checkbox"/> Conversion Denture 01	<input type="checkbox"/> Implant Record Device + Jig 02	<input type="checkbox"/> HTI 03	<input type="checkbox"/> Wrap Around <input type="checkbox"/> Montreal 04
--	---	---	--

IMPLANTS

Amount:

Brand:

Type:

PLATFORM

Abutment-level
 Implant-level

EXTRA CHECKLIST

Implant Order Form completed
 AvaDent Order Form attached

SKETCH OF SITUATION + COMMENTS